Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 1 | 1 | 2 |
| Diagnosis | | % within Sex | .1% | .3% | .1% |
| | 5-12 | Count | 1 | 1 | 2 |
| | | % within Sex | .1% | .3% | .1% |
| | 13-19 | Count | 18 | 15 | 33 |
| | | % within Sex | 1.6% | 4.8% | 2.3% |
| | 20-24 | Count | 94 | 33 | 127 |
| | | % within Sex | 8.2% | 10.6% | 8.7% |
| | 25-29 | Count | 119 | 51 | 170 |
| | | % within Sex | 10.4% | 16.4% | 11.7% |
| | 30-39 | Count | 468 | 116 | 584 |
| | | % within Sex | 40.9% | 37.3% | 40.1% |
| | 40-49 | Count | 332 | 72 | 404 |
| | | % within Sex | 29.0% | 23.2% | 27.7% |
| | 50-59 | Count | 98 | 13 | 111 |
| | | % within Sex | 8.6% | 4.2% | 7.6% |
| | 60-69 | Count | 9 | 7 | 16 |
| | | % within Sex | .8% | 2.3% | 1.1% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Unknown | Count | 4 | 2 | 6 |
| | | % within Sex | .3% | .6% | .4% |
| Total | | Count | 1145 | 311 | 1456 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 608 | 86 | 694 |
| | | % within Sex | 53.1% | 27.7% | 47.7% |
| | African American | Count | 340 | 181 | 521 |
| | | % within Sex | 29.7% | 58.2% | 35.8% |
| | Hispanic | Count | 178 | 41 | 219 |
| | | % within Sex | 15.5% | 13.2% | 15.0% |
| | Asian-Pacific Islander | Count | 9 | 1 | 10 |
| | | % within Sex | .8% | .3% | .7% |
| | Am Indian-Alaskan | Count | 3 | 2 | 5 |
| | | % within Sex | .3% | .6% | .3% |
| | Not Specified | Count | 7 | | 7 |
| | | % within Sex | .6% | | .5% |
| Total | | Count | 1145 | 311 | 1456 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 803 | | 803 |
| Exposure | | % within Sex | 70.1% | | 55.2% |
| | IDU | Count | 45 | 36 | 81 |
| | | % within Sex | 3.9% | 11.6% | 5.6% |
| | M-M & IDU | Count | 37 | | 37 |
| | | % within Sex | 3.2% | | 2.5% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 37 | 154 | 191 |
| | | % within Sex | 3.2% | 49.5% | 13.1% |
| | Transfusion | Count | 2 | 3 | 5 |
| | | % within Sex | .2% | 1.0% | .3% |
| | Not Classified | Count | 218 | 116 | 334 |
| | | % within Sex | 19.0% | 37.3% | 22.9% |
| | Ped Parent at Risk | Count | 2 | 2 | 4 |
| | | % within Sex | .2% | .6% | .3% |
| Total | | Count | 1145 | 311 | 1456 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | | 693 | 1 | 694 |
| | | % within Adult-Ped | | 47.9% | 16.7% | 47.7% |
| | African American | Count | 4 | 513 | 4 | 521 |
| | | % within Adult-Ped | 100.0% | 35.5% | 66.7% | 35.8% |
| | Hispanic | Count | | 218 | 1 | 219 |
| | | % within Adult-Ped | | 15.1% | 16.7% | 15.0% |
| | Asian-Pacific Islander | Count | | 10 | | 10 |
| | | % within Adult-Ped | | .7% | | .7% |
| | Am Indian-Alaskan | Count | | 5 | | 5 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 7 | | 7 |
| | | % within Adult-Ped | | .5% | | .5% |
| Total | | Count | 4 | 1446 | 6 | 1456 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | |
|-------|--------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Sex | Male | Count | 2 | 1139 | 4 | 1145 |
| | | % within Adult-Ped | 50.0% | 78.8% | 66.7% | 78.6% |
| | Female | Count | 2 | 307 | 2 | 311 |
| | | % within Adult-Ped | 50.0% | 21.2% | 33.3% | 21.4% |
| Total | | Count | 4 | 1446 | 6 | 1456 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 4 | 1 | 5 |
| Diagnosis | | % within Sex | .5% | .4% | .5% |
| | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .4% | .1% |
| | 2-4 | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | 13-19 | Count | 8 | 18 | 26 |
| | | % within Sex | 1.0% | 7.2% | 2.4% |
| | 20-24 | Count | 70 | 42 | 112 |
| | | % within Sex | 8.5% | 16.8% | 10.5% |
| | 25-29 | Count | 134 | 43 | 177 |
| | | % within Sex | 16.3% | 17.2% | 16.5% |
| | 30-39 | Count | 362 | 79 | 441 |
| | | % within Sex | 44.1% | 31.6% | 41.2% |
| | 40-49 | Count | 185 | 40 | 225 |
| | | % within Sex | 22.6% | 16.0% | 21.0% |
| | 50-59 | Count | 47 | 22 | 69 |
| | | % within Sex | 5.7% | 8.8% | 6.4% |
| | 60-69 | Count | 9 | 4 | 13 |
| | | % within Sex | 1.1% | 1.6% | 1.2% |
| Total | | Count | 820 | 250 | 1070 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 404 | 43 | 447 |
| | | % within Sex | 49.3% | 17.2% | 41.8% |
| | African American | Count | 256 | 164 | 420 |
| | | % within Sex | 31.2% | 65.6% | 39.3% |
| | Hispanic | Count | 144 | 42 | 186 |
| | | % within Sex | 17.6% | 16.8% | 17.4% |
| | Asian-Pacific Islander | Count | 11 | | 11 |
| | | % within Sex | 1.3% | | 1.0% |
| | Am Indian-Alaskan | Count | 3 | | 3 |
| | | % within Sex | .4% | | .3% |
| | Not Specified | Count | 2 | 1 | 3 |
| | | % within Sex | .2% | .4% | .3% |
| Total | | Count | 820 | 250 | 1070 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 541 | | 541 |
| Exposure | | % within Sex | 66.0% | | 50.6% |
| | IDU | Count | 42 | 54 | 96 |
| | | % within Sex | 5.1% | 21.6% | 9.0% |
| | M-M & IDU | Count | 41 | | 41 |
| | | % within Sex | 5.0% | | 3.8% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 12 | 40 | 52 |
| | | % within Sex | 1.5% | 16.0% | 4.9% |
| | Transfusion | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| | Not Classified | Count | 177 | 154 | 331 |
| | | % within Sex | 21.6% | 61.6% | 30.9% |
| | Ped Parent at Risk | Count | 4 | 2 | 6 |
| | | % within Sex | .5% | .8% | .6% |
| | Ped Other-Undet | Count | 1 | | 1 |
| | | % within Sex | .1% | | .1% |
| Total | | Count | 820 | 250 | 1070 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

| | | | Adult | -Ped | |
|----------------|------------------------|--------------------|-----------|------------|--------|
| | | | | Adult/Adol | |
| | | | Pediatric | escent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1 | 446 | 447 |
| | | % within Adult-Ped | 14.3% | 42.0% | 41.8% |
| | African American | Count | 4 | 416 | 420 |
| | | % within Adult-Ped | 57.1% | 39.1% | 39.3% |
| | Hispanic | Count | 2 | 184 | 186 |
| | | % within Adult-Ped | 28.6% | 17.3% | 17.4% |
| | Asian-Pacific Islander | Count | | 11 | 11 |
| | | % within Adult-Ped | | 1.0% | 1.0% |
| | Am Indian-Alaskan | Count | | 3 | 3 |
| | | % within Adult-Ped | | .3% | .3% |
| | Not Specified | Count | | 3 | 3 |
| | | % within Adult-Ped | | .3% | .3% |
| Total | | Count | 7 | 1063 | 1070 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult | -Ped | |
|-------|--------|--------------------|-----------|----------------------|--------|
| | | | Pediatric | Adult/Adol escent | Total |
| Sex | Male | Count | 5 | 815 | 820 |
| | | % within Adult-Ped | 71.4% | 76.7% | 76.6% |
| | Female | Count | 2 | 248 | 250 |
| | | % within Adult-Ped | 28.6% | 23.3% | 23.4% |
| Total | | Count | 7 | 1063 | 1070 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 15 | 13 | 28 |
| Diagnosis | | % within Sex | .5% | 1.5% | .7% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .5% | .1% |
| | 2-4 | Count | 4 | 2 | 6 |
| | | % within Sex | .1% | .2% | .2% |
| | 5-12 | Count | 8 | 4 | 12 |
| | | % within Sex | .3% | .5% | .3% |
| | 13-19 | Count | 40 | 66 | 106 |
| | | % within Sex | 1.3% | 7.7% | 2.7% |
| | 20-24 | Count | 261 | 122 | 383 |
| | | % within Sex | 8.4% | 14.2% | 9.7% |
| | 25-29 | Count | 461 | 152 | 613 |
| | | % within Sex | 14.9% | 17.7% | 15.5% |
| | 30-39 | Count | 1330 | 291 | 1621 |
| | | % within Sex | 42.9% | 33.8% | 40.9% |
| | 40-49 | Count | 735 | 147 | 882 |
| | | % within Sex | 23.7% | 17.1% | 22.3% |
| | 50-59 | Count | 199 | 44 | 243 |
| | | % within Sex | 6.4% | 5.1% | 6.1% |
| | 60-69 | Count | 35 | 12 | 47 |
| | | % within Sex | 1.1% | 1.4% | 1.2% |
| | 70+ | Count | 3 | 1 | 4 |
| | | % within Sex | .1% | .1% | .1% |
| | Unknown | Count | 7 | 3 | 10 |
| | | % within Sex | .2% | .3% | .3% |
| Total | | Count | 3099 | 861 | 3960 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1600 | 190 | 1790 |
| | | % within Sex | 51.6% | 22.1% | 45.2% |
| | African American | Count | 984 | 543 | 1527 |
| | | % within Sex | 31.8% | 63.1% | 38.6% |
| | Hispanic | Count | 462 | 122 | 584 |
| | | % within Sex | 14.9% | 14.2% | 14.7% |
| | Asian-Pacific Islander | Count | 28 | 2 | 30 |
| | | % within Sex | .9% | .2% | .8% |
| | Am Indian-Alaskan | Count | 12 | 3 | 15 |
| | | % within Sex | .4% | .3% | .4% |
| | Not Specified | Count | 13 | 1 | 14 |
| | | % within Sex | .4% | .1% | .4% |
| Total | | Count | 3099 | 861 | 3960 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 2152 | | 2152 |
| Exposure | | % within Sex | 69.4% | | 54.3% |
| | IDU | Count | 121 | 133 | 254 |
| | | % within Sex | 3.9% | 15.4% | 6.4% |
| | M-M & IDU | Count | 176 | | 176 |
| | | % within Sex | 5.7% | | 4.4% |
| | Hemophiliac | Count | 4 | | 4 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 96 | 289 | 385 |
| | | % within Sex | 3.1% | 33.6% | 9.7% |
| | Transfusion | Count | 5 | 5 | 10 |
| | | % within Sex | .2% | .6% | .3% |
| | Not Classified | Count | 517 | 411 | 928 |
| | | % within Sex | 16.7% | 47.7% | 23.4% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .2% | | .1% |
| | Ped Parent at Risk | Count | 22 | 21 | 43 |
| | | % within Sex | .7% | 2.4% | 1.1% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | Ped Other-Undet | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .1% |
| Total | | Count | 3099 | 861 | 3960 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 13 | 1773 | 4 | 1790 |
| | | % within Adult-Ped | 25.5% | 45.5% | 40.0% | 45.2% |
| | African American | Count | 27 | 1496 | 4 | 1527 |
| | | % within Adult-Ped | 52.9% | 38.4% | 40.0% | 38.6% |
| | Hispanic | Count | 10 | 572 | 2 | 584 |
| | | % within Adult-Ped | 19.6% | 14.7% | 20.0% | 14.7% |
| | Asian-Pacific Islander | Count | 1 | 29 | | 30 |
| | | % within Adult-Ped | 2.0% | .7% | | .8% |
| | Am Indian-Alaskan | Count | | 15 | | 15 |
| | | % within Adult-Ped | | .4% | | .4% |
| | Not Specified | Count | | 14 | | 14 |
| | | % within Adult-Ped | | .4% | | .4% |
| Total | | Count | 51 | 3899 | 10 | 3960 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | |
|-------|--------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Sex | Male | Count | 28 | 3064 | 7 | 3099 |
| | | % within Adult-Ped | 54.9% | 78.6% | 70.0% | 78.3% |
| | Female | Count | 23 | 835 | 3 | 861 |
| | | % within Adult-Ped | 45.1% | 21.4% | 30.0% | 21.7% |
| Total | | Count | 51 | 3899 | 10 | 3960 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 14 | 13 | 27 |
| Diagnosis | | % within Sex | .5% | 1.5% | .7% |
| | 1 (12-23 mo) | Count | 1 | 4 | 5 |
| | | % within Sex | .0% | .5% | .1% |
| | 2-4 | Count | 4 | 2 | 6 |
| | | % within Sex | .1% | .2% | .2% |
| | 5-12 | Count | 8 | 3 | 11 |
| | | % within Sex | .3% | .4% | .3% |
| | 13-19 | Count | 40 | 66 | 106 |
| | | % within Sex | 1.3% | 7.8% | 2.7% |
| | 20-24 | Count | 258 | 121 | 379 |
| | | % within Sex | 8.5% | 14.2% | 9.7% |
| | 25-29 | Count | 458 | 151 | 609 |
| | | % within Sex | 15.0% | 17.7% | 15.6% |
| | 30-39 | Count | 1319 | 287 | 1606 |
| | | % within Sex | 43.2% | 33.7% | 41.2% |
| | 40-49 | Count | 718 | 145 | 863 |
| | | % within Sex | 23.5% | 17.0% | 22.1% |
| | 50-59 | Count | 188 | 43 | 231 |
| | | % within Sex | 6.2% | 5.1% | 5.9% |
| | 60-69 | Count | 33 | 12 | 45 |
| | | % within Sex | 1.1% | 1.4% | 1.2% |
| | 70+ | Count | 2 | 1 | 3 |
| | | % within Sex | .1% | .1% | .1% |
| | Unknown | Count | 7 | 3 | 10 |
| | | % within Sex | .2% | .4% | .3% |
| Total | | Count | 3050 | 851 | 3901 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 0 (0-11 mo) | Count | 1 | | 1 |
| Age | | % within Sex | .0% | | .0% |
| | 1 (12-23 mo) | Count | 2 | 1 | 3 |
| | | % within Sex | .1% | .1% | .1% |
| | 2-4 | Count | 6 | 6 | 12 |
| | | % within Sex | .2% | .7% | .3% |
| | 5-12 | Count | 11 | 12 | 23 |
| | | % within Sex | .4% | 1.4% | .6% |
| | 13-19 | Count | 16 | 30 | 46 |
| | | % within Sex | .5% | 3.5% | 1.2% |
| | 20-24 | Count | 173 | 99 | 272 |
| | | % within Sex | 5.7% | 11.6% | 7.0% |
| | 25-29 | Count | 342 | 145 | 487 |
| | | % within Sex | 11.2% | 17.0% | 12.5% |
| | 30-39 | Count | 1295 | 307 | 1602 |
| | | % within Sex | 42.5% | 36.1% | 41.1% |
| | 40-49 | Count | 902 | 180 | 1082 |
| | | % within Sex | 29.6% | 21.2% | 27.7% |
| | 50-59 | Count | 246 | 53 | 299 |
| | | % within Sex | 8.1% | 6.2% | 7.7% |
| | 60-69 | Count | 50 | 15 | 65 |
| | | % within Sex | 1.6% | 1.8% | 1.7% |
| | 70+ | Count | 4 | 1 | 5 |
| | | % within Sex | .1% | .1% | .1% |
| | Unknown | Count | 2 | 2 | 4 |
| | | % within Sex | .1% | .2% | .1% |
| Total | | Count | 3050 | 851 | 3901 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 1582 | 187 | 1769 |
| | | % within Sex | 51.9% | 22.0% | 45.3% |
| | African American | Count | 964 | 538 | 1502 |
| | | % within Sex | 31.6% | 63.2% | 38.5% |
| | Hispanic | Count | 453 | 120 | 573 |
| | | % within Sex | 14.9% | 14.1% | 14.7% |
| | Asian-Pacific Islander | Count | 28 | 2 | 30 |
| | | % within Sex | .9% | .2% | .8% |
| | Am Indian-Alaskan | Count | 10 | 3 | 13 |
| | | % within Sex | .3% | .4% | .3% |
| | Not Specified | Count | 13 | 1 | 14 |
| | | % within Sex | .4% | .1% | .4% |
| Total | | Count | 3050 | 851 | 3901 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 2127 | | 2127 |
| Exposure | | % within Sex | 69.7% | | 54.5% |
| | IDU | Count | 117 | 132 | 249 |
| | | % within Sex | 3.8% | 15.5% | 6.4% |
| | M-M & IDU | Count | 173 | | 173 |
| | | % within Sex | 5.7% | | 4.4% |
| | Hemophiliac | Count | 4 | | 4 |
| | | % within Sex | .1% | | .1% |
| | Heterosexual Contact | Count | 95 | 288 | 383 |
| | | % within Sex | 3.1% | 33.8% | 9.8% |
| | Transfusion | Count | 5 | 5 | 10 |
| | | % within Sex | .2% | .6% | .3% |
| | Not Classified | Count | 502 | 404 | 906 |
| | | % within Sex | 16.5% | 47.5% | 23.2% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .2% | | .1% |
| | Ped Parent at Risk | Count | 21 | 20 | 41 |
| | | % within Sex | .7% | 2.4% | 1.1% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | Ped Other-Undet | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .1% |
| Total | | Count | 3050 | 851 | 3901 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 12 | 1753 | 4 | 1769 |
| | | % within Adult-Ped | 24.5% | 45.6% | 40.0% | 45.3% |
| | African American | Count | 26 | 1472 | 4 | 1502 |
| | | % within Adult-Ped | 53.1% | 38.3% | 40.0% | 38.5% |
| | Hispanic | Count | 10 | 561 | 2 | 573 |
| | | % within Adult-Ped | 20.4% | 14.6% | 20.0% | 14.7% |
| | Asian-Pacific Islander | Count | 1 | 29 | | 30 |
| | | % within Adult-Ped | 2.0% | .8% | | .8% |
| | Am Indian-Alaskan | Count | | 13 | | 13 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 14 | | 14 |
| | | % within Adult-Ped | | .4% | | .4% |
| Total | | Count | 49 | 3842 | 10 | 3901 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | |
|-------|--------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Sex | Male | Count | 27 | 3016 | 7 | 3050 |
| | | % within Adult-Ped | 55.1% | 78.5% | 70.0% | 78.2% |
| | Female | Count | 22 | 826 | 3 | 851 |
| | | % within Adult-Ped | 44.9% | 21.5% | 30.0% | 21.8% |
| Total | - | Count | 49 | 3842 | 10 | 3901 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|---------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 13-19 | Count | 2 | 1 | 3 |
| Diagnosis | | % within Sex | .4% | .8% | .4% |
| | 20-24 | Count | 21 | 6 | 27 |
| | | % within Sex | 3.7% | 4.7% | 3.9% |
| | 25-29 | Count | 53 | 20 | 73 |
| | | % within Sex | 9.3% | 15.5% | 10.5% |
| | 30-39 | Count | 262 | 62 | 324 |
| | | % within Sex | 46.1% | 48.1% | 46.5% |
| | 40-49 | Count | 168 | 23 | 191 |
| | | % within Sex | 29.6% | 17.8% | 27.4% |
| | 50-59 | Count | 52 | 15 | 67 |
| | | % within Sex | 9.2% | 11.6% | 9.6% |
| | 60-69 | Count | 8 | 2 | 10 |
| | | % within Sex | 1.4% | 1.6% | 1.4% |
| | 70+ | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Unknown | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| Total | | Count | 568 | 129 | 697 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ∋x | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 250 | 22 | 272 |
| | | % within Sex | 44.0% | 17.1% | 39.0% |
| | African American | Count | 208 | 87 | 295 |
| | | % within Sex | 36.6% | 67.4% | 42.3% |
| | Hispanic | Count | 108 | 18 | 126 |
| | | % within Sex | 19.0% | 14.0% | 18.1% |
| | Asian-Pacific Islander | Count | 2 | 2 | 4 |
| | | % within Sex | .4% | 1.6% | .6% |
| Total | | Count | 568 | 129 | 697 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 353 | | 353 |
| Exposure | | % within Sex | 62.1% | | 50.6% |
| | IDU | Count | 37 | 11 | 48 |
| | | % within Sex | 6.5% | 8.5% | 6.9% |
| | M-M & IDU | Count | 22 | | 22 |
| | | % within Sex | 3.9% | | 3.2% |
| | Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Heterosexual Contact | Count | 16 | 55 | 71 |
| | | % within Sex | 2.8% | 42.6% | 10.2% |
| | Transfusion | Count | 2 | 4 | 6 |
| | | % within Sex | .4% | 3.1% | .9% |
| | Not Classified | Count | 137 | 58 | 195 |
| | | % within Sex | 24.1% | 45.0% | 28.0% |
| | Ped Transfusion | Count | | 1 | 1 |
| | | % within Sex | | .8% | .1% |
| Total | | Count | 568 | 129 | 697 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Adult | -Ped | |
|----------------|------------------------|--------------------|------------|---------|--------|
| | | | Adult/Adol | | |
| | | | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 271 | 1 | 272 |
| | | % within Adult-Ped | 38.9% | 100.0% | 39.0% |
| | African American | Count | 295 | | 295 |
| | | % within Adult-Ped | 42.4% | | 42.3% |
| | Hispanic | Count | 126 | | 126 |
| | | % within Adult-Ped | 18.1% | | 18.1% |
| | Asian-Pacific Islander | Count | 4 | | 4 |
| | | % within Adult-Ped | .6% | | .6% |
| Total | | Count | 696 | 1 | 697 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

| | | | Adult | -Ped | |
|-------|--------|--------------------|----------------------|---------|--------|
| | | | Adult/Adol escent | Unknown | Total |
| Sex | Male | Count | 567 | 1 | 568 |
| | | % within Adult-Ped | 81.5% | 100.0% | 81.5% |
| | Female | Count | 129 | | 129 |
| | | % within Adult-Ped | 18.5% | | 18.5% |
| Total | | Count | 696 | 1 | 697 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 13-19 | Count | | 1 | 1 |
| Diagnosis | | % within Sex | | .7% | .1% |
| | 20-24 | Count | 27 | 10 | 37 |
| | | % within Sex | 4.2% | 7.0% | 4.7% |
| | 25-29 | Count | 65 | 16 | 81 |
| | | % within Sex | 10.1% | 11.3% | 10.3% |
| | 30-39 | Count | 288 | 65 | 353 |
| | | % within Sex | 44.9% | 45.8% | 45.1% |
| | 40-49 | Count | 188 | 32 | 220 |
| | | % within Sex | 29.3% | 22.5% | 28.1% |
| | 50-59 | Count | 61 | 14 | 75 |
| | | % within Sex | 9.5% | 9.9% | 9.6% |
| | 60-69 | Count | 11 | 3 | 14 |
| | | % within Sex | 1.7% | 2.1% | 1.8% |
| | 70+ | Count | 1 | 1 | 2 |
| | | % within Sex | .2% | .7% | .3% |
| Total | | Count | 641 | 142 | 783 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | λ. | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 292 | 24 | 316 |
| | | % within Sex | 45.6% | 16.9% | 40.4% |
| | African American | Count | 209 | 97 | 306 |
| | | % within Sex | 32.6% | 68.3% | 39.1% |
| | Hispanic | Count | 132 | 16 | 148 |
| | | % within Sex | 20.6% | 11.3% | 18.9% |
| | Asian-Pacific Islander | Count | 7 | 1 | 8 |
| | | % within Sex | 1.1% | .7% | 1.0% |
| | Am Indian-Alaskan | Count | | 2 | 2 |
| | | % within Sex | | 1.4% | .3% |
| | Not Specified | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.4% | .4% |
| Total | | Count | 641 | 142 | 783 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 400 | | 400 |
| Exposure | | % within Sex | 62.4% | | 51.1% |
| | IDU | Count | 30 | 27 | 57 |
| | | % within Sex | 4.7% | 19.0% | 7.3% |
| | M-M & IDU | Count | 50 | | 50 |
| | | % within Sex | 7.8% | | 6.4% |
| | Heterosexual Contact | Count | 12 | 28 | 40 |
| | | % within Sex | 1.9% | 19.7% | 5.1% |
| | Transfusion | Count | 1 | 2 | 3 |
| | | % within Sex | .2% | 1.4% | .4% |
| | Not Classified | Count | 146 | 85 | 231 |
| | | % within Sex | 22.8% | 59.9% | 29.5% |
| | Ped Hemophiliac | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| | Ped Transfusion | Count | 1 | | 1 |
| | | % within Sex | .2% | | .1% |
| Total | | Count | 641 | 142 | 783 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Adult-Ped | |
|----------------|------------------------|--------------------|------------|--------|
| | | | Adult/Adol | |
| | | | escent | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 316 | 316 |
| | | % within Adult-Ped | 40.4% | 40.4% |
| | African American | Count | 306 | 306 |
| | | % within Adult-Ped | 39.1% | 39.1% |
| | Hispanic | Count | 148 | 148 |
| | | % within Adult-Ped | 18.9% | 18.9% |
| | Asian-Pacific Islander | Count | 8 | 8 |
| | | % within Adult-Ped | 1.0% | 1.0% |
| | Am Indian-Alaskan | Count | 2 | 2 |
| | | % within Adult-Ped | .3% | .3% |
| | Not Specified | Count | 3 | 3 |
| | | % within Adult-Ped | .4% | .4% |
| Total | | Count | 783 | 783 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | Adult-Ped | |
|-------|--------|--------------------|------------|--------|
| | | | Adult/Adol | |
| | | | escent | Total |
| Sex | Male | Count | 641 | 641 |
| | | % within Adult-Ped | 81.9% | 81.9% |
| | Female | Count | 142 | 142 |
| | | % within Adult-Ped | 18.1% | 18.1% |
| Total | | Count | 783 | 783 |
| | | % within Adult-Ped | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 8 | 7 | 15 |
| Diagnosis | | % within Sex | .1% | .5% | .1% |
| | 1 (12-23 mo) | Count | 6 | 1 | 7 |
| | | % within Sex | .0% | .1% | .1% |
| | 2-4 | Count | 4 | 4 | 8 |
| | | % within Sex | .0% | .3% | .1% |
| | 5-12 | Count | 5 | 3 | 8 |
| | | % within Sex | .0% | .2% | .1% |
| | 13-19 | Count | 40 | 19 | 59 |
| | | % within Sex | .3% | 1.5% | .4% |
| | 20-24 | Count | 451 | 108 | 559 |
| | | % within Sex | 3.6% | 8.3% | 4.0% |
| | 25-29 | Count | 2041 | 227 | 2268 |
| | | % within Sex | 16.2% | 17.5% | 16.3% |
| | 30-39 | Count | 6312 | 528 | 6840 |
| | | % within Sex | 50.0% | 40.8% | 49.2% |
| | 40-49 | Count | 2802 | 265 | 3067 |
| | | % within Sex | 22.2% | 20.5% | 22.0% |
| | 50-59 | Count | 760 | 86 | 846 |
| | | % within Sex | 6.0% | 6.6% | 6.1% |
| | 60-69 | Count | 162 | 30 | 192 |
| | | % within Sex | 1.3% | 2.3% | 1.4% |
| | 70+ | Count | 30 | 16 | 46 |
| | | % within Sex | .2% | 1.2% | .3% |
| | Unknown | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| Total | | Count | 12622 | 1294 | 13916 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 8144 | 363 | 8507 |
| | | % within Sex | 64.5% | 28.1% | 61.1% |
| | African American | Count | 2954 | 763 | 3717 |
| | | % within Sex | 23.4% | 59.0% | 26.7% |
| | Hispanic | Count | 1430 | 148 | 1578 |
| | | % within Sex | 11.3% | 11.4% | 11.3% |
| | Asian-Pacific Islander | Count | 57 | 14 | 71 |
| | | % within Sex | .5% | 1.1% | .5% |
| | Am Indian-Alaskan | Count | 35 | 4 | 39 |
| | | % within Sex | .3% | .3% | .3% |
| | Not Specified | Count | 2 | 2 | 4 |
| | | % within Sex | .0% | .2% | .0% |
| Total | | Count | 12622 | 1294 | 13916 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | × | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 9806 | | 9806 |
| Exposure | | % within Sex | 77.7% | | 70.5% |
| | IDU | Count | 726 | 349 | 1075 |
| | | % within Sex | 5.8% | 27.0% | 7.7% |
| | M-M & IDU | Count | 1032 | | 1032 |
| | | % within Sex | 8.2% | | 7.4% |
| | Hemophiliac | Count | 35 | | 35 |
| | | % within Sex | .3% | | .3% |
| | Heterosexual Contact | Count | 263 | 499 | 762 |
| | | % within Sex | 2.1% | 38.6% | 5.5% |
| | Transfusion | Count | 82 | 76 | 158 |
| | | % within Sex | .6% | 5.9% | 1.1% |
| | Not Classified | Count | 645 | 354 | 999 |
| | | % within Sex | 5.1% | 27.4% | 7.2% |
| | Ped Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 16 | 13 | 29 |
| | | % within Sex | .1% | 1.0% | .2% |
| | Ped Transfusion | Count | 7 | 2 | 9 |
| | | % within Sex | .1% | .2% | .1% |
| | Ped Other-Undet | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| Total | | Count | 12622 | 1294 | 13916 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 13 | 8493 | 1 | 8507 |
| | | % within Adult-Ped | 34.2% | 61.2% | 100.0% | 61.1% |
| | African American | Count | 19 | 3698 | | 3717 |
| | | % within Adult-Ped | 50.0% | 26.6% | | 26.7% |
| | Hispanic | Count | 5 | 1573 | | 1578 |
| | | % within Adult-Ped | 13.2% | 11.3% | | 11.3% |
| | Asian-Pacific Islander | Count | 1 | 70 | | 71 |
| | | % within Adult-Ped | 2.6% | .5% | | .5% |
| | Am Indian-Alaskan | Count | | 39 | | 39 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 4 | | 4 |
| | | % within Adult-Ped | | .0% | | .0% |
| Total | | Count | 38 | 13877 | 1 | 13916 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | |
|-------|--------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Sex | Male | Count | 23 | 12598 | 1 | 12622 |
| | | % within Adult-Ped | 60.5% | 90.8% | 100.0% | 90.7% |
| | Female | Count | 15 | 1279 | | 1294 |
| | | % within Adult-Ped | 39.5% | 9.2% | | 9.3% |
| Total | | Count | 38 | 13877 | 1 | 13916 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 3 | 4 | 7 |
| Diagnosis | | % within Sex | .1% | .5% | .1% |
| | 1 (12-23 mo) | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| | 2-4 | Count | 1 | 1 | 2 |
| | | % within Sex | .0% | .1% | .0% |
| | 5-12 | Count | 2 | 2 | 4 |
| | | % within Sex | .0% | .2% | .1% |
| | 13-19 | Count | 28 | 16 | 44 |
| | | % within Sex | .5% | 1.8% | .7% |
| | 20-24 | Count | 199 | 74 | 273 |
| | | % within Sex | 3.6% | 8.5% | 4.2% |
| | 25-29 | Count | 778 | 153 | 931 |
| | | % within Sex | 13.9% | 17.6% | 14.4% |
| | 30-39 | Count | 2889 | 380 | 3269 |
| | | % within Sex | 51.6% | 43.7% | 50.6% |
| | 40-49 | Count | 1310 | 168 | 1478 |
| | | % within Sex | 23.4% | 19.3% | 22.9% |
| | 50-59 | Count | 318 | 51 | 369 |
| | | % within Sex | 5.7% | 5.9% | 5.7% |
| | 60-69 | Count | 62 | 15 | 77 |
| | | % within Sex | 1.1% | 1.7% | 1.2% |
| | 70+ | Count | 5 | 4 | 9 |
| | | % within Sex | .1% | .5% | .1% |
| | Unknown | Count | 1 | | 1 |
| | | % within Sex | .0% | | .0% |
| Total | | Count | 5596 | 869 | 6465 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|-------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 5-12 | Count | 3 | 3 | 6 |
| Age | | % within Sex | .1% | .3% | .1% |
| | 13-19 | Count | 2 | 6 | 8 |
| | | % within Sex | .0% | .7% | .1% |
| | 20-24 | Count | 41 | 21 | 62 |
| | | % within Sex | .7% | 2.4% | 1.0% |
| | 25-29 | Count | 190 | 90 | 280 |
| | | % within Sex | 3.4% | 10.4% | 4.3% |
| | 30-39 | Count | 1921 | 339 | 2260 |
| | | % within Sex | 34.3% | 39.0% | 35.0% |
| | 40-49 | Count | 2455 | 281 | 2736 |
| | | % within Sex | 43.9% | 32.3% | 42.3% |
| | 50-59 | Count | 783 | 99 | 882 |
| | | % within Sex | 14.0% | 11.4% | 13.6% |
| | 60-69 | Count | 175 | 22 | 197 |
| | | % within Sex | 3.1% | 2.5% | 3.0% |
| | 70+ | Count | 26 | 8 | 34 |
| | | % within Sex | .5% | .9% | .5% |
| Total | | Count | 5596 | 869 | 6465 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 3147 | 196 | 3343 |
| | | % within Sex | 56.2% | 22.6% | 51.7% |
| | African American | Count | 1587 | 546 | 2133 |
| | | % within Sex | 28.4% | 62.8% | 33.0% |
| | Hispanic | Count | 811 | 111 | 922 |
| | | % within Sex | 14.5% | 12.8% | 14.3% |
| | Asian-Pacific Islander | Count | 30 | 11 | 41 |
| | | % within Sex | .5% | 1.3% | .6% |
| | Am Indian-Alaskan | Count | 20 | 3 | 23 |
| | | % within Sex | .4% | .3% | .4% |
| | Not Specified | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .2% | .0% |
| Total | | Count | 5596 | 869 | 6465 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 4192 | | 4192 |
| Exposure | | % within Sex | 74.9% | | 64.8% |
| | IDU | Count | 334 | 203 | 537 |
| | | % within Sex | 6.0% | 23.4% | 8.3% |
| | M-M & IDU | Count | 387 | | 387 |
| | | % within Sex | 6.9% | | 6.0% |
| | Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .2% | | .2% |
| | Heterosexual Contact | Count | 158 | 329 | 487 |
| | | % within Sex | 2.8% | 37.9% | 7.5% |
| | Transfusion | Count | 23 | 29 | 52 |
| | | % within Sex | .4% | 3.3% | .8% |
| | Not Classified | Count | 480 | 299 | 779 |
| | | % within Sex | 8.6% | 34.4% | 12.0% |
| | Ped Hemophiliac | Count | 5 | | 5 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 4 | 6 | 10 |
| | | % within Sex | .1% | .7% | .2% |
| | Ped Transfusion | Count | 3 | 2 | 5 |
| | | % within Sex | .1% | .2% | .1% |
| | Ped Other-Undet | Count | | 1 | 1 |
| | | % within Sex | | .1% | .0% |
| Total | | Count | 5596 | 869 | 6465 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 6 | 3336 | 1 | 3343 |
| | | % within Adult-Ped | 42.9% | 51.7% | 100.0% | 51.7% |
| | African American | Count | 7 | 2126 | | 2133 |
| | | % within Adult-Ped | 50.0% | 33.0% | | 33.0% |
| | Hispanic | Count | 1 | 921 | | 922 |
| | | % within Adult-Ped | 7.1% | 14.3% | | 14.3% |
| | Asian-Pacific Islander | Count | | 41 | | 41 |
| | | % within Adult-Ped | | .6% | | .6% |
| | Am Indian-Alaskan | Count | | 23 | | 23 |
| | | % within Adult-Ped | | .4% | | .4% |
| | Not Specified | Count | | 3 | | 3 |
| | | % within Adult-Ped | | .0% | | .0% |
| Total | | Count | 14 | 6450 | 1 | 6465 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | | |
|-------|--------|--------------------|-----------|------------|---------|--------|--|
| | | | | Adult/Adol | | | |
| | | | Pediatric | escent | Unknown | Total | |
| Sex | Male | Count | 6 | 5589 | 1 | 5596 | |
| | | % within Adult-Ped | 42.9% | 86.7% | 100.0% | 86.6% | |
| | Female | Count | 8 | 861 | | 869 | |
| | | % within Adult-Ped | 57.1% | 13.3% | | 13.4% | |
| Total | | Count | 14 | 6450 | 1 | 6465 | |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% | |

a. EMA = Dallas

Age at Diagnosis * Sex Crosstabulation^a

| | | | Se | ex | |
|-----------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Age at | 0 (0-11 mo) | Count | 17 | 17 | 34 |
| Diagnosis | | % within Sex | .2% | 1.0% | .3% |
| | 1 (12-23 mo) | Count | 1 | 5 | 6 |
| | | % within Sex | .0% | .3% | .1% |
| | 2-4 | Count | 5 | 3 | 8 |
| | | % within Sex | .1% | .2% | .1% |
| | 5-12 | Count | 10 | 5 | 15 |
| | | % within Sex | .1% | .3% | .1% |
| | 13-19 | Count | 68 | 82 | 150 |
| | | % within Sex | .8% | 4.8% | 1.4% |
| | 20-24 | Count | 457 | 195 | 652 |
| | | % within Sex | 5.3% | 11.3% | 6.3% |
| | 25-29 | Count | 1236 | 304 | 1540 |
| | | % within Sex | 14.3% | 17.7% | 14.9% |
| | 30-39 | Count | 4208 | 667 | 4875 |
| | | % within Sex | 48.7% | 38.8% | 47.0% |
| | 40-49 | Count | 2028 | 313 | 2341 |
| | | % within Sex | 23.5% | 18.2% | 22.6% |
| | 50-59 | Count | 506 | 94 | 600 |
| | | % within Sex | 5.9% | 5.5% | 5.8% |
| | 60-69 | Count | 95 | 27 | 122 |
| | | % within Sex | 1.1% | 1.6% | 1.2% |
| | 70+ | Count | 7 | 5 | 12 |
| | | % within Sex | .1% | .3% | .1% |
| | Unknown | Count | 8 | 3 | 11 |
| | | % within Sex | .1% | .2% | .1% |
| Total | | Count | 8646 | 1720 | 10366 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

| | | | Se | ex | |
|---------|--------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Current | 0 (0-11 mo) | Count | 1 | | 1 |
| Age | | % within Sex | .0% | | .0% |
| | 1 (12-23 mo) | Count | 2 | 1 | 3 |
| | | % within Sex | .0% | .1% | .0% |
| | 2-4 | Count | 6 | 6 | 12 |
| | | % within Sex | .1% | .3% | .1% |
| | 5-12 | Count | 14 | 15 | 29 |
| | | % within Sex | .2% | .9% | .3% |
| | 13-19 | Count | 18 | 36 | 54 |
| | | % within Sex | .2% | 2.1% | .5% |
| | 20-24 | Count | 214 | 120 | 334 |
| | | % within Sex | 2.5% | 7.0% | 3.2% |
| | 25-29 | Count | 532 | 235 | 767 |
| | | % within Sex | 6.2% | 13.7% | 7.4% |
| | 30-39 | Count | 3216 | 646 | 3862 |
| | | % within Sex | 37.2% | 37.6% | 37.3% |
| | 40-49 | Count | 3357 | 461 | 3818 |
| | | % within Sex | 38.8% | 26.8% | 36.8% |
| | 50-59 | Count | 1029 | 152 | 1181 |
| | | % within Sex | 11.9% | 8.8% | 11.4% |
| | 60-69 | Count | 225 | 37 | 262 |
| | | % within Sex | 2.6% | 2.2% | 2.5% |
| | 70+ | Count | 30 | 9 | 39 |
| | | % within Sex | .3% | .5% | .4% |
| | Unknown | Count | 2 | 2 | 4 |
| | | % within Sex | .0% | .1% | .0% |
| Total | | Count | 8646 | 1720 | 10366 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

| | | | Se | ex | |
|----------------|------------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 4729 | 383 | 5112 |
| | | % within Sex | 54.7% | 22.3% | 49.3% |
| | African American | Count | 2551 | 1084 | 3635 |
| | | % within Sex | 29.5% | 63.0% | 35.1% |
| | Hispanic | Count | 1264 | 231 | 1495 |
| | | % within Sex | 14.6% | 13.4% | 14.4% |
| | Asian-Pacific Islander | Count | 58 | 13 | 71 |
| | | % within Sex | .7% | .8% | .7% |
| | Am Indian-Alaskan | Count | 30 | 6 | 36 |
| | | % within Sex | .3% | .3% | .3% |
| | Not Specified | Count | 14 | 3 | 17 |
| | | % within Sex | .2% | .2% | .2% |
| Total | | Count | 8646 | 1720 | 10366 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

| | | | Se | ex | |
|----------|----------------------|--------------|--------|--------|--------|
| | | | Male | Female | Total |
| Mode of | Male-to-Male Sex | Count | 6319 | | 6319 |
| Exposure | | % within Sex | 73.1% | | 61.0% |
| | IDU | Count | 451 | 335 | 786 |
| | | % within Sex | 5.2% | 19.5% | 7.6% |
| | M-M & IDU | Count | 560 | | 560 |
| | | % within Sex | 6.5% | | 5.4% |
| | Hemophiliac | Count | 14 | | 14 |
| | | % within Sex | .2% | | .1% |
| | Heterosexual Contact | Count | 253 | 617 | 870 |
| | | % within Sex | 2.9% | 35.9% | 8.4% |
| | Transfusion | Count | 28 | 34 | 62 |
| | | % within Sex | .3% | 2.0% | .6% |
| | Not Classified | Count | 982 | 703 | 1685 |
| | | % within Sex | 11.4% | 40.9% | 16.3% |
| | Ped Hemophiliac | Count | 10 | | 10 |
| | | % within Sex | .1% | | .1% |
| | Ped Parent at Risk | Count | 25 | 26 | 51 |
| | | % within Sex | .3% | 1.5% | .5% |
| | Ped Transfusion | Count | 3 | 3 | 6 |
| | | % within Sex | .0% | .2% | .1% |
| | Ped Other-Undet | Count | 1 | 2 | 3 |
| | | % within Sex | .0% | .1% | .0% |
| Total | | Count | 8646 | 1720 | 10366 |
| | | % within Sex | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

| | | | | Adult-Ped | | |
|----------------|------------------------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Race-Ethnicity | White Non-Hispanic | Count | 18 | 5089 | 5 | 5112 |
| | | % within Adult-Ped | 28.6% | 49.4% | 45.5% | 49.3% |
| | African American | Count | 33 | 3598 | 4 | 3635 |
| | | % within Adult-Ped | 52.4% | 35.0% | 36.4% | 35.1% |
| | Hispanic | Count | 11 | 1482 | 2 | 1495 |
| | | % within Adult-Ped | 17.5% | 14.4% | 18.2% | 14.4% |
| | Asian-Pacific Islander | Count | 1 | 70 | | 71 |
| | | % within Adult-Ped | 1.6% | .7% | | .7% |
| | Am Indian-Alaskan | Count | | 36 | | 36 |
| | | % within Adult-Ped | | .3% | | .3% |
| | Not Specified | Count | | 17 | | 17 |
| | | % within Adult-Ped | | .2% | | .2% |
| Total | | Count | 63 | 10292 | 11 | 10366 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas

Sex * Adult-Ped Crosstabulation^a

| | | | | Adult-Ped | | |
|-------|--------|--------------------|-----------|------------|---------|--------|
| | | | | Adult/Adol | | |
| | | | Pediatric | escent | Unknown | Total |
| Sex | Male | Count | 33 | 8605 | 8 | 8646 |
| | | % within Adult-Ped | 52.4% | 83.6% | 72.7% | 83.4% |
| | Female | Count | 30 | 1687 | 3 | 1720 |
| | | % within Adult-Ped | 47.6% | 16.4% | 27.3% | 16.6% |
| Total | | Count | 63 | 10292 | 11 | 10366 |
| | | % within Adult-Ped | 100.0% | 100.0% | 100.0% | 100.0% |

a. EMA = Dallas